

## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: X

DATE : November 15, 2007TO SPE OF : ART UNIT 3728SUBJECT : Request for Certificate of Correction for Appl. No : 10/732,834 Patent No.: 7281341 B2A response is requested with respect to a request for a certificate of correction:

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code COCX.

## DO NOT SENT TO ATTORNEY

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

Certificates of Correction Branch (CofC)

South Tower - 9A22

Palm Location 7580

You can fax the Directors/SPE response to 571-270-9990

LASHMONTE

NEWSOME

Certificates of Correction Branch

703-308-9390 ext. 112

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ Approved ☐ All changes apply;

☐ Approved in Part Specify below which changes do not apply.

☐ Denied State the reasons for denial below.

Comments: \_\_\_\_\_

Drawings approved.

/Mickey Yu/

3728

SPE

Art Unit

Formatted: Indent: Left: 1.22"

Deleted: \_\_\_\_\_

Deleted: \_\_\_\_\_

Deleted: \_\_\_\_\_